

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Product form : Mixture  
Product name : 4268 - MONO ENGINE OIL CF 40  
Product code : 77-4268  
Type of product : Lubricant  
Product group : Engine oil (lubricant)

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.2.1. Relevant identified uses**

Main use category : Engine oil (lubricant)  
Industrial/Professional use spec : For professional use only  
Use of the substance/mixture : This oil should not be used for any other purpose than the intended use without expert advice.  
Function or use category : Lubricants and additives

**1.2.2. Uses advised against**

No additional information available

**1.3. Details of the supplier of the safety data sheet**

Transnational Blenders B.V. (under license of 77 Lubricants)  
Wieldrechtseweg 37  
3316 BG Dordrecht - Netherlands  
T +31 (0)78 652 7652  
[info@tnb.nl](mailto:info@tnb.nl) - [www.tnb.nl](http://www.tnb.nl)

**1.4. Emergency telephone number**

Emergency number : +31 (0)78 652 7652  
Monday to Friday: 09:00 - 16:00 (CET)

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Not classified

**Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]**

Not classified

**2.2. Label elements****Labelling according to Directive 67/548/EEC or 1999/45/EC**

Extra phrases : Safety data sheet available for professional user on request

**2.3. Other hazards**

Other hazards not contributing to the classification : Flammable liquids. Repeated or prolonged contact may cause skin irritation. Spills of this product present a serious slipping hazard.

**SECTION 3: Composition/information on ingredients****3.1. Substance**

Not applicable

**3.2. Mixture**

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
SN 500 substance with a Community workplace exposure limit	(CAS No) 74869-22-0 (EC no) 278-012-2 (EC index no) 649-484-00-0	50 - 75	Not classified	Not classified

# 4268 - MONO ENGINE OIL CF 40

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Mineral oil		1 - 5	Not classified	Asp. Tox. 1, H304

Full text of R- and H-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : Allow breathing of fresh air. Allow the victim to rest.
- First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use. After adequate first aid, no further treatment is required unless symptoms reappear.
- Symptoms/injuries after inhalation : After adequate first aid, no further treatment is required unless symptoms reappear.
- Symptoms/injuries after skin contact : After adequate first aid, no further treatment is required unless symptoms reappear.
- Symptoms/injuries after eye contact : After adequate first aid, no further treatment is required unless symptoms reappear.
- Symptoms/injuries after ingestion : After adequate first aid, no further treatment is required unless symptoms reappear.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

- Protective equipment : Eliminate all ignition sources if safe to do so.
- Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection. Wear suitable protective clothing, gloves and eye/face protection.
- Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

- For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
- Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

# 4268 - MONO ENGINE OIL CF 40

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources. Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 45 °C

Storage area : Store away from heat. Store in a well-ventilated place.

Special rules on packaging : Keep only in original container. Store in a closed container.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

SN 500 (74869-22-0)		
EU	IOELV TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> 8 HRS
EU	IOELV STEL (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> 15 min
Austria	MAK (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
Belgium	Limit value (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> 8 HRS
Belgium	Short time value (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> 15 MIN
Bulgaria	OEL TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> 8 HRS
Czech Republic	Expoziční limity (PEL) (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Czech Republic	Expoziční limity (NPK-P) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> 8 HRS
Denmark	Grænseværdie (langvarig) (mg/m <sup>3</sup> )	1
Denmark	Grænseværdie (kortvarig) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
Finland	HTP-arvo (8h) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> 8 Hrs
Greece	OEL TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> 8 hrs
Hungary	AK-érték	< 5 mg/m <sup>3</sup>
Hungary	CK-érték	0 mg/m <sup>3</sup>
Ireland	OEL (8 hours ref) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> 8 Hrs
Italy	OEL STEL (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Latvia	OEL TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> 8 Hrs
Lithuania	IPRV (mg/m <sup>3</sup> )	3 mg/m <sup>3</sup> 15 min
Lithuania	TPRV (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup> 8 Hrs
Netherlands	Grenswaarde TGG 8H (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> 8 Hrs
Poland	NDS (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> 8 hrs
Poland	NDSP (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> 15 minutes
Portugal	OEL TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> 8 Hrs
Portugal	OEL STEL (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Romania	OEL TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> 8 Hrs
Romania	OEL STEL (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> 15 min
Slovakia	NPHV (priemerná) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> 8 hrs
Spain	VLA-ED (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> 8 Hrs
Spain	VLA-EC (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> 15 min
Sweden	nivågränsvärde (NVG) (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup>
Sweden	kortidsvärde (KTV) (mg/m <sup>3</sup> )	3 mg/m <sup>3</sup>
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> 8 Hrs
Norway	Grenseverdier (AN) (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup>
Australia	TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> 8 Hrs
Canada (Quebec)	VECD (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Canada (Quebec)	VEMP (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>

# 4268 - MONO ENGINE OIL CF 40

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

SN 500 (74869-22-0)		
USA - ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	>= mg/m <sup>3</sup>
USA - OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
Mineral oil		
EU	IOELV TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
EU	IOELV STEL (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Belgium	Limit value (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> 8 Hrs
Belgium	Short time value (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> 15 Min
Bulgaria	OEL TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> 8 Hrs
Czech Republic	Expoziční limity (PEL) (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Czech Republic	Expoziční limity (NPK-P) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> 8 Hrs
Denmark	Grænseværdie (kortvarig) (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup>
Finland	HTP-arvo (15 min)	5 mg/m <sup>3</sup> 8 Hrs
Greece	OEL TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> 8 Hrs
Hungary	CK-érték	5 mg/m <sup>3</sup>
Ireland	OEL (8 hours ref) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> 8 Hrs
Latvia	OEL TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> 8 Hrs
Lithuania	IPRV (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup> 8 Hrs
Lithuania	TPRV (mg/m <sup>3</sup> )	3 mg/m <sup>3</sup> 15 Min
Netherlands	Grenswaarde TGG 8H (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> 8 Hrs
Portugal	OEL TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> 8 Hrs
Portugal	OEL STEL (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Romania	OEL TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> 8 Hrs
Romania	OEL STEL (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> 15 Min
Slovakia	NPHV (priemerná) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> 8 Hrs
Spain	VLA-ED (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> 8 Hrs
Spain	VLA-EC (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> 15 Min
Sweden	nivågränsvärde (NVG) (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup>
Sweden	kortidsvärde (KTV) (mg/m <sup>3</sup> )	3 mg/m <sup>3</sup>
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	500 mg/m <sup>3</sup>
Norway	Grenseverdier (AN) (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup>
USA - OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>

### 8.2. Exposure controls

Personal protective equipment	: Avoid all unnecessary exposure. Protective clothing. Gloves. Safety glasses.
Hand protection	: Wear protective gloves
Eye protection	: Chemical goggles or safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear appropriate mask



Other information : Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Characteristics.
Colour	: light brown.
Odour	: Characteristics.
Odour threshold	: No data available
pH	: No data available

# 4268 - MONO ENGINE OIL CF 40

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: -9 °C
Boiling point	: No data available
Flash point	: 220 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 896,9 kg/m <sup>3</sup> @15°C
Solubility	: insoluble in water.
Log Pow	: No data available
Viscosity, kinematic	: 146 cSt @40°C
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

Other properties : See Product Data Sheet for detailed information.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Not established.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

SN 500 (74869-22-0)	
LD50 oral (rat)	5000 mg/kg
Mineral oil	
LD50 oral (rat)	> 5000 mg/kg
LD50 dermal (rabbit)	> 5000 mg/kg
LC50 inhalation (rat) (Vapours - mg/l/4h)	> 5000 mg/l/4h

Irritation	: Not classified
Corrosivity	: Not classified
Sensitisation	: Not classified
Repeated dose toxicity	: Not classified
Carcinogenicity	: Not classified
Mutagenicity	: Not classified
Toxicity for reproduction	: Not classified

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

# 4268 - MONO ENGINE OIL CF 40

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

### SECTION 12: Ecological information

#### 12.1. Toxicity

##### SN 500 (74869-22-0)

LC50 fish 1	16 mg/l 96 Hrs
-------------	----------------

##### Mineral oil

LC50 fish 1	16 mg/l
-------------	---------

LC50 other aquatic organisms 1	0,1 mg/l
--------------------------------	----------

#### 12.2. Persistence and degradability

##### 4268 - MONO ENGINE OIL CF 40

Persistence and degradability	Not established.
-------------------------------	------------------

##### Mineral oil

Biodegradation	31 % 28 Days OECD TG 301 B
----------------	----------------------------

#### 12.3. Bioaccumulative potential

##### 4268 - MONO ENGINE OIL CF 40

Bioaccumulative potential	Not established.
---------------------------	------------------

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

Additional information : Avoid release to the environment

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

Not regulated for transport

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable

Proper Shipping Name (IMDG) : Not applicable

Proper Shipping Name (IATA) : Not applicable

Proper Shipping Name (ADN) : Not applicable

Proper Shipping Name (RID) : Not applicable

#### 14.3. Transport hazard class(es)

##### ADR

Transport hazard class(es) (ADR) : Not applicable

##### IMDG

Transport hazard class(es) (IMDG) : Not applicable

##### IATA

Transport hazard class(es) (IATA) : Not applicable

##### ADN

Transport hazard class(es) (ADN) : Not applicable

##### RID

Transport hazard class(es) (RID) : Not applicable

#### 14.4. Packing group

Packing group (ADR) : Not applicable

# 4268 - MONO ENGINE OIL CF 40

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable

### 14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

No data available

#### - Transport by sea

No data available

#### - Air transport

No data available

#### - Inland waterway transport

No data available

#### - Rail transport

No data available

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

#### 15.1.2. National regulations

##### Germany

VwVwS Annex reference : Water hazard class (WGK) 3, severe hazard to waters (Classification according to VwVwS, Annex 4)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

##### Netherlands

Ministry's list of carcinogens : None of the components are listed

Ministry's list of mutagens : None of the components are listed

NON-exhaustive list of reproductive toxins - Breastfeeding : None of the components are listed

NON-exhaustive list of reproductive toxins - Fertility : None of the components are listed

NON-exhaustive list of reproductive toxins - Evolution : None of the components are listed

##### Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

# 4268 - MONO ENGINE OIL CF 40

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of R-, H- and EUH-statements:

Asp. Tox. 1	Aspiration hazard, Category 1
H304	May be fatal if swallowed and enters airways

SDS EU (REACH Annex II)

*DISCLAIMER OF LIABILITY* The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness